DAVID G. REICHERT

8TH DISTRICT, WASHINGTON

COMMITTEE ON WAYS AND MEANS

SUBCOMMITTEE ON TRADE
SUBCOMMITTEE ON OVERSIGHT
SUBCOMMITTEE ON SOCIAL SECURITY



Congress of the United States House of Representatives

Washington, DC 20515-4708

April 2, 2009

The Honorable Jerry Lewis
Ranking Member
House Appropriations Committee
1016 Longworth House Office Building
Washington, DC 20515

WASHINGTON OFFICE:

1730 LONGWORTH HOUSE OFFICE BUILDING

Washington, DC 20515-4708 Telephone: (202) 225-7761 Fax: (202) 225-4282

DISTRICT OFFICE:

2737 78TH AVENUE, SE, SUITE 202

MERCER ISLAND, WA 98040 TELEPHONE: (206) 275-3438

TOLL FREE: (877) 920-9208 FAX: (206) 275-3437

www.house.gov/reichert

The Honorable David Obey Chairman House Appropriations Committee H-218, The Capitol Washington, DC 20515

Dear Chairman Obey and Ranking Member Lewis:

I am requesting funding in the FY 2010 Energy and Water Development Appropriations bill, EERE Account for hydrogen technology. The entity to receive funding for this project is Asemblon, Inc., located at 15340 NE 92nd Street, Suite B, Redmond, WA 98052. The funding would be used for technology that would allow hydrogen to be transported in liquid form and used in gasoline infrastructure. I certify that neither I nor my spouse has any financial interest in this project.

I hereby certify that this request will be made publicly available on my Official Website as required by Chairman Obey's new Committee policy that only posted requests will be considered.

Consistent with the Republican Conference's policy on project requests, I hereby certify that to the best of my knowledge this request: (1) is not directed to an entity or program that will be named after a sitting Member of Congress; (2) is not intended to be used by an entity to secure funds for other entities unless the use of funding is consistent with the specified purpose of the earmark; and (3) meets or exceeds all statutory requirements for matching funds where applicable. I further certify that should this request be included in the bill, I will place a statement in the Congressional Record describing how the funds will be spent and justifying the use of federal taxpayer funds.

Sincerely,

DAVID G. RÉICHERT Member of Congress



OFFICE OF CONGRESSMAN DAVE REICHERT (WA-08)

PROJECT REQUEST CERTIFICATION

By submitting this request for Federal funding, I certify that:

- This project directly benefits the residents of Washington's Eighth Congressional District and merits federal funding assistance.
- None of the funds requested will be used for a new building, program, or project named after a sitting Member of Congress.
- None of the funds requested will be used to secure funds for other entities unless the use of funding is consistent with the specified purpose of the project request.
- For requests where the receiving entity is not a unit of federal, state, or local government, or where the entity receiving the funding will not be providing support to a federal, state, or local government, or will not be providing research, the organization will provide matching funds, including in-kind contributions of 5% or more above the statutory requirement.
- For requests from non-federal, -state, or -local government entities or other public institutions, the
 organization will submit an End User Letter(s) of Support from a public official representing the
 direct beneficiaries of the project. This will be inserted into the Congressional Record and disclosed
 on the Member's Congressional Website.
- Under separate cover, I agree to provide a comprehensive plan outlining the sources of funding for the duration of the project; the percent and source of required matching funds, anticipated sources of the funding for the duration of the project, and a detailed budget for how federal funding assistance will be used to support the project.
- In the interest of transparency, any information submitted with this project request may be disclosed for public review, including but not limited to the Committee or Member's Congressional Website and the Congressional Record.
- Should the project receive federal funding, I agree to disclose whether I hired a lobby firm; if so, the name of the lobby firm; and how much was paid to advocate for this project.

PROJECT NAME: Hydrogen Fueling using the HYDRNOL Hydrogen Liquid Carrier					
NAME OF PERSON CERTIFYING: Barton	F. Norton				
TITLE OF PERSON CERTIFYING: Director	of Marketing				
LEGAL NAME OF ENTITY MAKING REQU	EST: Asemblon, Inc.				
LEGAL ADDRESS OF ENTITY MAKING RI WA 98052-3521	EQUEST: 15340 NE 92 nd Street, Suite B, Redmond,				

SIGNATURE:

DATE: 27M~09



OFFICE OF CONGRESSMAN DAVE REICHERT (WA-08)

CONGRESSIONAL SITE VISIT CERTIFICATION

In the interests of accountability and transparency, we require that either the Congressman or a member of the Congressman's professional staff visit each project site requesting federal funding. This will enable our office to more thoroughly assess the merits of each project and ensure that limited taxpayer funds are invested wisely.

Upon completion of the congressional site visit, please complete this form and have a representative from the organization (not a representative from a lobbying firm) sign it. The Congressional Staff Member visiting the site will be responsible for collecting the form at the time of the visit.

Office of the Mayor • Phone (425) 452-7810 • Fax (425) 452-7919 Post Office Box 90012 • Bellevue, Washington • 98009 9012

March 26, 2009

Mr. Patrick A. Quarles, CEO ASEMBLON, Inc. 15340 NE 92nd Street Suite B Redmond, WA 98052-3521

RE: Appropriation request to Congressman Reichert

Dear Pat,

I was gratified to hear both about your upcoming move to Bellevue and your progress in making economical hydrogen for transportation a reality.

Your plan to include a school bus in your demonstration project with the Bellevue School District was particularly interesting, and we look forward to finding ways that we can support one another in this project. The City of Bellevue's own vehicle fleet could be a recipient of this new clean air hydrogen technology.

We understand that you will be building products in Bellevue that will have both national and international markets. Bellevue is pleased that this new technology will come from our city. We are also pleased that this program will add jobs in this challenging economy, and having them be "Green" jobs is especially welcomed.

With the Bellevue community as an end user of your technology, we support both your appropriation request as well as your goal of cleaner air and improved health for our children.

I wish you the best in your endeavors and appreciate this opportunity to lend our support. Please let us know how the City can further help in your efforts

Sincerely

Grant S. Degginger

Mayor

CC: The Honorable Dave Reichert, Member of Congress

Bellevue City Council

Steve Sarkozy, Bellevue City Manager

City of Bellevue offices are located at 450 110th Avenue N.E.

<u>H</u>	∕DRNOL™ Fueling Station	Qty	Price	Extension	Total	Purchased Equip.
	20-Foot Shipping Container					
	Design and Development Charges	1	10,000	10,000		
Æ	Fabrication to Specification	2	8,500	17,000		17,000
. –	Painting and Graphics	2	3,500	7,000		27,000
	Shipment	2	1,200	2,400		
	Site Preparation	2	6,500	13,000		
	Regulatory, Inspection, Fire Marshall	2	4,500	9,000		
	Regulatory, Inspection, The Harshan	_	1,500	5,000 -	58,400	17,000
	Fuel Bladders				50,100	17,000
	Design and Development	1	12,500	12,500		
	RFQ Prototypes	4	6,500	26,000		
	Testing to Destruction for Pressure	4	3,000	12,000		
	Redesign	1	5,000	5,000		
	Production Bladders	8	5,500	44,000		
	Installation and Testing	2	4,000	8,000		
	Lifetime Cycle Testing (600 fill cycles)		12,500	25,000		
•	Encline Cycle resting (600 fm cycles)	_	12,500	23,000	132,500	0
	Fueling Pumps			•	102,000	J
	Design and Development	1	12,500	12,500		
E	Prototypes	4	15,000	60,000		60,000
,	Testing	2	7,500	15,000		00,000
	Redesign	1	5,000	5,000		
	Production Modifications	´ 6	3,500	21,000		·
	Testing	1	8,000	8,000		
	Human Factors	1	7,500	7,500		
	Regulatory, Inspection, Fire Marshall	1	6,000	6,000		
	Lifetime Cycle Testing (40,000 fills)	2	15,000	30,000		
	Energine Cycle resums (10,000 mis)	_	13,000		165,000	60,000
	Battery Back-up Power System and Coi	nditio	ner		200,000	20,000
	Design and Development	1	7,500	7,500		
Е	RFQ Purchased Parts (batteries, inverter)	2	37,800	75,600		75,600
	Installation	2	6,500	13,000	•	
	Testing	2	5,000	10,000		
	Production Modifications	2	3,500	7,000		
	Certification	1	8,000	8,000		
	Regulatory, Inspection, Fire Marshall	1	7,500	7,500		
				· -	128,600	75,600
	Renewable Energy Power System					
	Design and Development	1	5,500	5,500		
E	RFQ Purchased Parts (3kW solar, 4 kW win	2	32,500	65,000		65,000
	Installation	. 2	7,500	15,000		-
	Testing	2	4,500	9,000		
	Production Modifications	2	3,500	7,000	•	
	Certification	1	10,000	10,000		
	Regulatory, Inspection, Fire Marshall	1 .	5,500	5,500		
	,, , , , , , , , , , , , , , , , , , , ,	•	,	• • • -	117,000	65,000

						Purchased
H	'DRNOL™ Fueling Station	Qty	Price	Extension	Total	Equip.
	Self-Contained Security System	•				
	Design and Development	1	7,500	7,500		
E	RFQ Purchased Parts (lighting, video, motion	2	20,000	40,000		40,000
	Installation	2	5,000	10,000		er.
	Testing	2	4,500	9,000		
	Production Modifications	2	3,500	7,000		
	Certification	1	5,000	5,000		
	Regulatory, Inspection, Fire Marshall	1	6,500	6,500		
	•				85,000	40,000
	Roll-back Truck for Statewide Demonst	ration	าร			
	Design and Development	1	7,500	7,500		
E	RFQ Purchased Parts (truck body + roll-bar	1	46,000	46,000		46,000
	Testing	2	4,500	9,000		
	Production Modifications	2	3,500	7,000		
					69,500	46,000
	Sub-total H	ydrog	en Fuelii	ng Station ⁻	756,000	303,600

HY	'DRNOL™Conversion and Compression	l Qty	Price	Extension	Total	Purchased Equip.
	20-Foot Shipping Container					
	Design and Development Charges	1	15,000	15,000		
	Fabrication to Specification	1	8,500	•		
	Painting and Graphics	1	3,500			
	Shipment	1	1,200	1,200		
	ND Site Preparation	1	85,000	85,000		
-	Regulatory, Inspection, Fire Marshall	1	10,000	10,000		
				•	123,200	0
	Triple-stage Compressors					
	Design and Development	1	12,500	12,500		
Ξ	QTE Triple-stage Compressor to 12,000 ps	s 1	185,000	185,000		185,000
Ξ	Plumbing, Valves, Controls	1	90,000	90,000		90,000
	Testing	1	12,500	12,500		•
	Certification	· 1	10,000	10,000	,	
	Regulatory, Inspection, Fire Marshall	1	10,000	10,000		
				_	320,000	275,000
	Hydrogen Storage Tanks (12,000 psig)				
	Design and Development	1	9,500	9,500		
Ξ	Prototypes	2	30,000	60,000		60,000
	Testing	1	7,500	7,500		
	Regulatory, Inspection, Fire Marshall	1	10,000	10,000	•	
			•		87,000	60,000
	Hydrogen Dispensers (5,000 + 10,000) psig))			
	Design and Development	1	7,500	7,500		
Ε	Purchased Parts	1	90,000	90,000		90,000
	Installation	1	6,500	6,500		
	Testing	1	5,000	5,000		
	Production Modifications	1	3,500	3,500		
	Certification	1	8,000	8,000		
	Regulatory, Inspection, Fire Marshall	1	7,500	7,500		
				_	128,000	90,000

FY10 Project Request DOE EERE Asemblon, Inc.

Page 3 of 4

YDRNOL™Conversion and Compression \	Qty	Price	Extension	Total	Equip.
Self-Contained Security System					
- _ -	1	6,000	6.000		
-			•		20,000
- · · · · · · · · · · · · · · · · · · ·			•		20,000
		•	•		
		•	•		
			•		
		•	•		
Regulatory, Inspection, Fire Marshall	1	4,500	4,500		
				49,500	20,000
		-	•		
-		•	•		46,000
	1	•	•		
Production Modifications	1	3,500	3,500		
			•	57,000	46,000
Sub-total HYDRNOL Conversion	n and	Compre	ssion Unit	764,700	491,000
					Purchased
DRNOL Fuel Delivery and Vehicle Mods	Qty	Price	Extension	Total	Equip.
Fuel Delivery Truck	•				
	1	ጸበ በበበ	80 000°		80,000
		•			50,000
			•		
_		•	•		
Modification	1	4,500	4,500 _	115 000	80,000
HYDRNOL Retrofit Kit for Cars and Ligh	t Truc	cks		113,000	80,000
-			50.000		
-			•		60,000
		•	-		00,000
			•		
_		<u>-</u>			
Pre-production		•			
-					
Testing	1	5,000	5,000		
Modification	1	7,500	7,500		
		•			75,000
Modification Production	1	7,500	7,500	247,500	75,000 135,000
Modification Production Bellevue School Bus Modifications	1 10	7,500 7,500	7,500 75,000 _	247,500	
Modification Production Bellevue School Bus Modifications Design and Fabrication of Storage Tar	1 10	7,500 7,500 5,500	7,500 75,000 _ 5,500	247,500	
Modification Production Bellevue School Bus Modifications Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit	1 10 1	7,500 7,500 5,500 4,000	7,500 75,000 _ 5,500 4,000	247,500	
Modification Production Bellevue School Bus Modifications Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit Engine/Air Cleaner Modifications	1 10 1 1 1 8	7,500 7,500 5,500 4,000 4,000	7,500 75,000 _ 5,500 4,000 32,000	247,500	
Modification Production Bellevue School Bus Modifications Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit Engine/Air Cleaner Modifications Computer Ignition Timing Modificatior	1 10 1	7,500 7,500 5,500 4,000 4,000 5,000	7,500 75,000 - 5,500 4,000 32,000 5,000	247,500	
Modification Production Bellevue School Bus Modifications Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit Engine/Air Cleaner Modifications	1 10 1 1 1 8	7,500 7,500 5,500 4,000 4,000	7,500 75,000 _ 5,500 4,000 32,000		135,000
Modification Production Bellevue School Bus Modifications Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit Engine/Air Cleaner Modifications Computer Ignition Timing Modificatior Testing	1 10 1 1 8 1	7,500 7,500 5,500 4,000 4,000 5,000	7,500 75,000 - 5,500 4,000 32,000 5,000	247,500 51,500	
Modification Production Bellevue School Bus Modifications Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit Engine/Air Cleaner Modifications Computer Ignition Timing Modificatior Testing North Dakota Chevrolet Silverado Truck	1 10 1 1 8 1 1	7,500 7,500 5,500 4,000 4,000 5,000 5,000	7,500 75,000 _ 5,500 4,000 32,000 5,000 _		135,000
Modification Production Bellevue School Bus Modifications Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit Engine/Air Cleaner Modifications Computer Ignition Timing Modificatior Testing North Dakota Chevrolet Silverado Truck ND Delivery of Silverado from North Dako	1 10 1 1 8 1 1	7,500 7,500 5,500 4,000 4,000 5,000 5,000	7,500 75,000 _ 5,500 4,000 32,000 5,000 _ 2,500		135,000
Modification Production Bellevue School Bus Modifications Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit Engine/Air Cleaner Modifications Computer Ignition Timing Modificatior Testing North Dakota Chevrolet Silverado Truck ND Delivery of Silverado from North Dako Design and Fabrication of Storage Tar	1 10 1 1 8 1 1 1	7,500 7,500 5,500 4,000 4,000 5,000 5,000 2,500 8,500	7,500 75,000 _ 5,500 4,000 32,000 5,000 _ 5,000 _ 2,500 8,500		135,000
Modification Production Bellevue School Bus Modifications Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit Engine/Air Cleaner Modifications Computer Ignition Timing Modificatior Testing North Dakota Chevrolet Silverado Truck ND Delivery of Silverado from North Dako Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit	1 10 1 1 8 1 1 1	7,500 7,500 5,500 4,000 5,000 5,000 2,500 8,500 4,000	7,500 75,000 - 5,500 4,000 32,000 5,000 5,000 - 2,500 8,500 4,000		135,000
Modification Production Bellevue School Bus Modifications Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit Engine/Air Cleaner Modifications Computer Ignition Timing Modificatior Testing North Dakota Chevrolet Silverado Truck ND Delivery of Silverado from North Dako Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit Injector Modifications	1 10 1 1 8 1 1 1 1 8	7,500 7,500 5,500 4,000 5,000 5,000 5,000 2,500 8,500 4,000 4,000	7,500 75,000 - 5,500 4,000 32,000 5,000 5,000 - 2,500 8,500 4,000 32,000		135,000
Modification Production Bellevue School Bus Modifications Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit Engine/Air Cleaner Modifications Computer Ignition Timing Modificatior Testing North Dakota Chevrolet Silverado Truck ND Delivery of Silverado from North Dako Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit Injector Modifications Computer Ignition Timing Modificatior	1 10 1 1 8 1 1 1 1 8 1 1 1	7,500 7,500 5,500 4,000 4,000 5,000 5,000 2,500 8,500 4,000 4,000 5,000	7,500 75,000 - 5,500 4,000 32,000 5,000 - 2,500 8,500 4,000 32,000 5,000		135,000
Modification Production Bellevue School Bus Modifications Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit Engine/Air Cleaner Modifications Computer Ignition Timing Modificatior Testing North Dakota Chevrolet Silverado Truck ND Delivery of Silverado from North Dako Design and Fabrication of Storage Tar Installation of HYDRNOL Retrofit Kit Injector Modifications	1 10 1 1 8 1 1 1 1 8	7,500 7,500 5,500 4,000 5,000 5,000 5,000 2,500 8,500 4,000 4,000	7,500 75,000 - 5,500 4,000 32,000 5,000 5,000 - 2,500 8,500 4,000 32,000		135,000
	Design and Development RFQ Purchased Parts (truck body + roll-bar Testing Production Modifications Sub-total HYDRNOL Conversion /DRNOL Fuel Delivery and Vehicle Mods Fuel Delivery Truck RFQ Truck Works Incorporated Custom Pillow Tanks Testing Modification	Design and Development RFQ Purchased Parts (lighting, video, motional Installation 1 Testing 1 Production Modifications 1 Certification 1 Regulatory, Inspection, Fire Marshall 1 ROII-back Truck for Statewide Demonstrational Design and Development 1 RFQ Purchased Parts (truck body + roll-ban 1 Testing 1 Production Modifications 1 Sub-total HYDRNOL Conversion and Sub-total HYDRNOL Conversion	Design and Development	Design and Development 1 6,000 6,000 RFQ Purchased Parts (lighting, video, motion 1 20,000 20,000 Installation 1 6,000 6,000 Testing 1 4,500 4,500 Production Modifications 1 3,500 3,500 Certification 1 5,000 5,000 Regulatory, Inspection, Fire Marshall 1 4,500 4,500 Regulatory, Inspection, Fire Marshall 1 4,500 4,500 Regulatory, Inspection, Fire Marshall 1 3,000 3,000 RFQ Purchased Parts (truck body + roll-bain 1 46,000 46,000 Testing 1 4,500 4,500 Production Modifications 1 3,500 3,500 Fuel Delivery Truck 2 2 2 Fuel Delivery Truck 3 8,500 25,500 Fillow Tanks 3 8,500 25,500 Testing 1 5,000 5,000 Modification 1 4,500 4,500 Prototypes 4 15,000 60,000 Modification 1 5,000 5,000 Testing 1 5,000 5,000 Prototypes 4 15,000 60,000 Modification 1 5,000 5,000 Testing 1 5,000 5,000 Modification 1 5,000 5,000 Testing 1 5,000 5,000	Design and Development 1 6,000 6,000 RFQ Purchased Parts (lighting, video, motion 1 20,000 20,000 1.5 20,000 1.5

Purchased HYDRNOL Fuel Delivery and Vehicle Mods Qty Price Extension Total Equip.

4000	A	* # : £: L:	<u></u>
TUXX	I OPVIOTED	MODITICATION	c
1366	COLVETTE	Modification	•

Design and Fabrication of Storage Tar	1	5,500	5,500				
Installation of HYDRNOL Retrofit Kit	1	4,000	4,000				
Injector Modifications	8	4,000	32,000				
Computer Ignition Timing Modification	1	5,000	5,000				
Testing	1	5,000	5,000				
-				51,500	0		
Sub-total HYDRNOL Fuel Del	522,500	215,000					

FY10 Project Request Summary DOE EERE Asemblon, Inc.	Total	Purchased Equip.
HYDRNOL Fueling Station	756,000	303,600
HYDRNOL Conversion and Compression Unit	764,700	491,000
HYDRNOL Fuel Delivery and Vehicle Mods	522,500	215,000
Total	######	#####
Overhead 30.0%	612,960	
Travel + Living	24,000	
Grand Total	######	=
"In-kind" Contributions Design + Development Overhead Expenses Travel + Living Total "In-kind"	40,000 612,960 24,000 676,960	-
Net Grant Request	######	25.3%

	GENERAL IN	FORMATION		
Organization making request: Asemb	lon, Inc.	Federa	al Tax Status: (i.e. 501(c)3) (C Corporation
Address: 15340 NE 92nd Street, Suite B			A MARKANINA COMPANIA COMPANIA CONTRACTOR CON	
City: Redmond	State: WA	ZIP Co	de: 98052	
Point of Contact(POC): Bart Norton				
Phone: 425-558-5100 X 605		Email:	bnorton@asemblon.com	WANTED THE
Address: 15340 NE 92nd Street, Suite B	·			
City: Redmond	State: WA	ZIP Co	de: 98052-3521	
DC Representation (if any): None	M M 1-2-1-4 makes a marine a m			AALSKII KOO
Phone:	······································	Email:		
Address:				- Land Martin Horsey (1999)
City:	State:	ZIP Co		
	PROJECT/PROGRA			
PROJECT TITLE: Demonstration of hyd		OKINOL liquid nye	irogen carrier	
Prioritized:1 of1 total reque Appropriations Bill: (Please check)	sts for your organization	VANDE (I	PATRICIA DE LA CONTRACTOR DEL CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR	alada la la la la la propiri de la
Appropriations Bill: (Please check)				
Agriculture	Commerce, .	Justice, Science	Defense	
XEnergy and Water	Interior ar	nd Environment		
State, Foreign Operations	Labor, Hea	th and Human Ser	vices, and Education	
Military Construction, Veterans' Admir	sistration Homeland	Security		
		•		
Transportation, Housing and Urban D	evelopmentFinancial	Services	•	
Legislative Branch			•	
			AND THE PROPERTY OF THE PROPER	
Agency/Bureau (i.e. FBI; Corps of Engine	ers; US Navy; ARS, etc.): Depa	rtment of Energy (i	DOE)	
Account (i.e. Buildings and Facilities, Aviati Fuel Cells and Infrastructure Technologies F		ts, etc): Energy Efi	iciency and Renewable Energy (EERE), Hydrogen,
Amount requested for FY2010: \$ Octol	per 2009 to September 2010	\$1,587,000		
Total cost of project: \$ 2,003,200	AMANAMAN MANAMAN		properties and the second seco	
Minimum amount of FY2010 funding n	eeded to begin or sustain th	nis project: \$ 982	2,000	
Is this program authorized?	YES _X_NO		If YES, bill number:	Year:
Is this program funded in the Presiden	t's FY10 budget request?	YES _X_ NO-	If YES, amount: \$	
Anticipated total future requests: \$ 1,0	00,000 Over the next 2 ye	ears		
Local, state and/or private funding sou	ırces: None			
Total Amount: \$	Over the next	years		100 Marie 100 Ma
Other sources of Federal funding:	A STATE OF THE STA	W. F	, , , , , , , , , , , , , , , , , , ,	
Total Amount: \$ None	Over the next	years		
		0.07.000.000.000.000.000.000.000.000.00		
Federal Agency Sponsor or Program M	anager:			
Office:	•	ann Andrew Art II 1199 a mhainn an ann an ann an an ann an ann an ann an a		
Phone Number:				

Executive Summary/Project Description (MAXIMUM 200 Words):

- Please include a discussion of the project's merits, relevance, eligibility, and why it is a valuable use of taxpayer funds.
- Please limit your description to 200 words.
- You may attach additional information, however, please understand that the description provided below will be used for any and all public disclosure requirements.

We have developed a molecular carrier technology that allows hydrogen to be transported, stored and dispensed in liquid form at ambient temperature and pressure. This will allow the use of the currently available gasoline infrastructure to dispense hydrogen which will then be released on demand for automotive combustion. Existing internal combustion engines can be economically retrofitted for this purpose. With the requested funding we will fully demonstrate all aspects of this process. The ability to incorporate hydrogen into our National Energy schema has been impeded by the cost to store and transport it in refrigerated and pressurized form. We have overcome this obstacle. Our analysis shows that we can install hydrogen stations at $\sim 1/10^{th}$ the cost of conventional hydrogen systems thereby accelerating hydrogen adoption, more rapidly reducing our dependence on foreign oil, and reducing CO₂ emissions on a 1:1 basis as we reduce hydrocarbon combustion.

Our technology can store energy produced by renewable energy sources that do not have access to transmission lines. Conversion of this energy output to hydrogen, attached to the HYDRNOL molecule, will allow the energy to be inexpensively transported to the appropriate locations and stored until such time as power demand requires its use.

Justification of funding:

- How does this request fit within the identified bill and account (cite specific precedents and overall purpose of account)?

 From the EWERE Web Site: On-board hydrogen storage for transportation applications continues to be one of the most technically challenging barriers to the widespread commercialization of hydrogen-fueled vehicles. The EERE hydrogen storage activity focuses primarily on the applied research and development (R&D) of low-pressure, materials-based technologies to allow for a driving range of more than 300 miles (500 km) while meeting packaging, cost, safety, and performance requirements to be competitive with current vehicles.
- How many jobs could this project create and how will it benefit Washington's 8th Congressional District?

 By 2015, the projected number of "green collar" jobs produced by this project will be 1,139 in the 8th Congressional District alone. Producing the Retrofit Kits for cars and light trucks will employ an additional 4,275 workers but those jobs are likely to be in States with large suppliers to the automotive industry. Typically, 4 times as many jobs are created as induced or indirect jobs. This would boost the job total in 2015 to 21,656.

Specific language proposed for Congressman's request to the subcommittee (if any):


HYDRNOL is a transitional technology that will allow us to accelerate our entry into the Hydrogen Economy. It will allow our Country to make great strides in reducing our CO₂ emissions and will help us to capture the energy produced by remote renewables such as wind and solar without the time and expense of constructing transmission lines and other costly energy transport mechanisms.

Is there any other relevant information regarding this request that you would like to share?

The science is proven. Our objective is to demonstrate a full use cycle and scalability from laboratory to commercial level.

Because of the green nature of this project, it will have very high visibility. Asemblon would plan to promote the Hydrogen Fueling Station and our hydrogen-powered vehicles at State and local fairs and alternative energy events by actually taking the Station to these events.

	CONTINUE FOR DEFENSE REQUEST ONLY:
What is the name	and number of the Program Officer for this request?
. •	
Have you contacte	d the Program Officer?
Appropriations Acc	ount: (Please check)
RDT&E	ProcurementO&MCounter DrugsMedical
Reserve Equ	ipmentNational Guard EquipmentOther (DW, for example)
Service: (Please ch	leck)
Army	Army ReserveNavyNavy ReserveMarine CorpsMarine Corps Reserve
Air Force _	Air Force ReserveIntelligenceArmy GuardAir National Guard
Line Item Title:	
Identification:	
R-1/PE #	P-1/Line # TIARA/JMIP (Intel Only)
Sub-Activity Group	(required for Personnel and O&M):



ASEMBLON, Inc. Hydrogen Service Station

Two Models of the Service Station


Asemblon offers two different models of the Hydrogen Service Station for USA and International Markets. Since the design is based on the ITA International Standard for 20-foot containers, these Stations can be shipped complete via truck, container ship or intermodal rail.

The Service Station is shipped with the pumps and masts inside the container for final assembly on site. Electrical requirement is 220/240 VAC 50/60 Hz 20 amps. Asemblon also offers a Renewable Energy Option to allow the Hydrogen Service Station to be independent of grid power. The Option is pictured on Page 1 and consists of 3 kW of PV Solar and 4 kW of wind power (4 X 1 kW turbines). A 10 kWhr storage battery and inverter are included.

Model HSS-SP Hydrogen Service Station Single Pump

Model HSS-DP Hydrogen Service Station Dual Pump

Model HSS-RE Renewable Energy Option



Hydrogen Service Station with Dual Pumping Option


Inside Dimensions and Weights

Inside Length	19' 4"	5.89 m
Inside Width	7 8"	2.33 m
Inside Height	7' 10"	2.38 m
Door Width	7 8"	2.33 m
Door Height	7' 6"	2.28 m
Capacity	1,172 ft ³	33.18 m ³
Tare (Empty) Weight	4,916 lb	2,229 kg
Maximum Cargo	47,999 lb:	21,727 kg

Site Design Considerations

In designing a site for the Service Station, it is recommended that lanes 12 feet (4 m) be allowed on each side of the Station for access to the pump(s) for customer vehicles. For refueling, plan on turning paths for up to a 42-foot tandem tube trailer.

The Hydrogen Service Station is delivered on a special truck with a roll-back bed. Allow 40 feet in front of the Station for delivery.




Reducing Your Carbon Footprint

The US Department of Energy Web Site explains how each gallon of gasoline burned produces 20.37 pounds of CO2. Using hydrogen fuel reduces the CO2 ouput of the same engine by 99.7% in tests by the Ford Motor Company.

Hydrogen made from methane still provides a net CO2 reduction of 10.2 pounds per kilogram of hydrogen.

		fuel	7	T I CALLED
earn (e)			FIG. 1	•
Beginning Magning	from the Fast Francise Gods	Y MEE RAGES	er i ine et ellet en en ellet	garanjahan amakanka
	A teems imposes to the a galan of p	of carbon d	loxide?	
Gobal Circuit Change	enclains 20 pounds of certain-source the CCs doesn't come from the gastor Terrar gasteries from, the parties and copper is form water or DOS, and man (CCs).	ise Baelt dur Meilaugge Hudschein begannte. Tr	t in the sie w torthogen containes wi	3 0
	A content stort from a weight of 12, and stort have a weight of 15, going water of OD an exercise weight of 41,14 for from exercise. Therefore, to be already the strokent of	progle motercula m partico alvertit CO2 sweezess		
	tom a side of such a. The et al. of the preside is multiplied by 14/12 or		CO,	
	Security and the Control of the Cont		12 + (16 x 2) = 44	
	We can then nulliply the weight of the second of the	enroco (5.5 pounds) k	93 генеральная 20 г	





ASEMBLON, Inc. Hydrogen Service Station

Patented Liquid Carrier for Hydrogen

Asemblon introduces its Hydrogen Fueling Station based on its patented HYDRNOL[™] Carrier molecule. HYDRNOL safely stores hydrogen at standard temperature and pressure by chemically binding hydrogen to the HYDRNOL Carrier.

Safely Store 1,000 Kilograms of Hydrogen

The Hydrogen Service Station stores 1,000 kilograms of hydrogen in a standard 20-foot shipping container for safe delivery to modified cars or light trucks. HYDRNOL Conversion Kits on board the vehicles release hydrogen as needed for internal combustion engines or fuel cells. The expended chemical is captured on board for recycling.

HYDRNOL is Recyclable

When refueling, fresh HYDRNOL is pumped in while expended HYDRNOL is pumped out for recycling. The HYDRNOL molecule can be recycled over 100 times by simply adding fresh hydrogen at a processing facility.

Stores Enough Hydrogen for 100 Fillings

Over 100 vehicles can be refueled before the HYDRNOL Service Station needs to be refilled and the expended HYDRNOL picked up for rehydrogenation.

Installs in Less than a Day


All that is required to operate the Hydrogen Service Station is a prepared pad and 220/240 VAC power. The Station uses a built-in cellular telephone for credit card checking and status reporting.

Designed to be as Safe as Gasoline or Diesel

The HYDRNOL Service Station has been designed to fit seamlessly into urban fueling situations with safety ratings similar to gasoline and diesel. There is no "free" hydrogen until it is released on board the vehicle.

Cars and Light Trucks Can Run on Hydrogen

The benefits of driving with hydrogen fuel do not have to wait for fuel cells. Today's engines are just as efficient running on hydrogen as they are on gasoline but with 99.7% less CO2 emissions (Ford Motor Company data). Engines designed from the ground up to run on hydrogen are actually competitive with fuel cells for energy efficiency.



Hydrogen Service Station with Dual Pumping Option and the Renewable Wind and Solar Energy Option

Major Price Breakthrough for Hydrogen

Hydrogen delivered on the HYDRNOL molecule is expected to cost \$2.28 per kilogram (energy equivalent to a gallon of gasoline). This price does not include incentives, rebates or price supports.

Reduce Your Carbon Footprint by 2.5 Tons!

Every time you fill up with HYDRNOL, you prevent the release of 100 pounds of CO2. The Department of Energy reports burning 1 gallon of gasoline puts 20.37 pounds of CO2 into the atmosphere. Driving an average of 15,000 miles in a year, you will save 2.5 tons of CO2!

Get More Information

Visit our Web Site at www.asemblon.com/energy. Check out the Frequently Asked Questions (FAQ) section.

USA and International Inquiries Invited

Asemblon offers plans for fuel suppliers, automobile dealers and vehicle retrofitters that make it easy to get started. A Hydrogen Fueling Station will support 100 to 250 modified internal combustion or fuel cell vehicles.


Contact Asemblon for Partnership Opportunities

Asemblon is a technology company. We license and subcontract our patents and designs for chemicals, fueling stations, retrofit kits, and rehydrogenation facilities.

Contact Michael Ramage (mramage@asemblon.com) or by cell phone at 206.200.7801.



15340 NE 92nd Street, Suite B, Redmond, WA 98052-3521 TEL: 425.558.5100 FAX: 425.869.1836 www.asemblon.com Prices and specifications subject to change without notice. ©2009 Asemblon, Inc. All Rights Reserved.




Hydrogen Service Station Add-on

The Asemblon Conversion and Compression Unit has been designed to add compressed hydrogen fueling to the Hydrogen Service Station. The Unit offers pressures of 350 and 700 bar. Since the design is based on the ITA International Standard for 20-foot containers, the Conversion and Compression Unit can be shipped complete via truck, container ship or intermodal rail.

The Conversion and Compression Unit is shipped with the dispensers and masts inside the container for final assembly on site. Electrical requirements are 440/480 VAC 50/60Hz 20 amps.

Model HSS-CCU Conversion and Compression Unit



Conversion and Compression Unit with Dual Pressure Output


Inside Dimensions and Weights


-Inside Length	19'4"	5.89 m
Inside Width	7' 8"	2.33 m
Inside Height	7' 10"	2.38 m
Door Width	7 8"	2.33 m
Door Height	7 6"	2.28 m
Capacity	1,172 ft³	$33.18 \mathrm{m}^3$
Tare (Empty) Weight	4,916 lb	2,229 kg
Maximum Cargo	47,999 lb	21,727 kg

Site Design Considerations

In designing a site for the Service Station, it is recommended that lanes 12 feet (4 m) be allowed on each side of the Station for access to the pump(s) for customer vehicles. For refueling the Hydrogen Service Station, plan on turning paths for up to a 42-foot tandem tube trailer.

The Conversion and Compression Unit is delivered on a special truck with a roll-back bed. Allow 40 feet in front of the Unit for delivery.





ASEMBLON, Inc. Conversion and Compression Unit

Companion Unit for the Hydrogen Service Station

Asemblon offers an add-on Unit to complement its Hydrogen Fueling Station based on its patented HYDRNOLTM Carrier molecule. HYDRNOL safely stores hydrogen at standard temperature and pressure by chemically binding hydrogen to the HYDRNOL Carrier.

Safely Store 1,000 Kilograms of Hydrogen

The Hydrogen Service Station stores 1,000 kilograms of hydrogen in a standard 20-foot shipping container for safe delivery to modified cars or light trucks. HYDRNOL Conversion Kits on board the vehicles release hydrogen as needed for internal combustion engines or fuel cells. The expended chemical is captured on board for recycling.

Allows Fueling of Compressed Hydrogen Vehicles HYDRNOL is pumped from the Hydrogen Service Station to the Conversion and Compression Unit where hydrogen is released and compressed to 10,000 psi (700 bar) and stored in tanks designed to fill 10 vehicles with up to 10 kilograms of hydrogen each.

Pressures of 350 or 700 Bar are Available Vehicles requiring 5,000 psi (350 bar) or 10,000 psi (700 bar) can be refueled. Separate dispensers are available for each pressure.


Installs in Less than a Day

All that is required to operate the Conversion and Compression Unit is a prepared pad and 440/480 VAC power. The Station uses a built-in cellular telephone for credit card checking and status reporting.


Designed to Improve Safety

The HYDRNOL Service Station is used to store hydrogen bound to an organic molecule to minimize the quantity of "free" hydrogen in the system. Using this technique, only 10% of the total hydrogen available is in gaseous form at any time (100 kg of 1,000 kg total capacity).

Renewable Energy Option can Supplement Power A popular addition to the Hydrogen Service Station is the Renewable Energy Option. This allows the Station to run completely independently of the grid. Compressing hydrogen requires more power than can be economically stored



Conversion + Compression Unit with Dual Pressure Output



Hydrogen Service Station with Dual Pumping Option and the Renewable Energy Option

with batteries. However, the Renewable Energy Option will allow the hydrogen already compressed to be delivered during a power outage.

To Get More Information

First review the Hyrdogen Service Station Flyer. Next, visit our Web Site at www.asemblon.com/energy.

Contact Asemblon for Partnership Opportunities Asemblon is a technology company. We license and subcontract our patents and designs for chemicals, fueling stations, retrofit kits, and rehydrogenation facilities. USA and international inquiries are invited.

Contact Michael Ramage (mramage@asemblon.com).

